


OR

O型圈 (型号:OR D×d)

O-Ring



■ 常规材质NBR, FKM, EPDM

美国国家标准 (AS 568)

尺寸 D d	型号 Type	产品编码 Product Code
0.74 1.02	001	SL020001
1.07 1.27	002	SL020002
1.42 1.52	003	SL020003
1.78 1.78	004	SL020004
2.57 1.78	005	SL020005
2.90 1.78	006	SL020006
3.68 1.78	007	SL020007
4.47 1.78	008	SL020008
5.28 1.78	009	SL020009
6.07 1.78	010	SL020010
7.65 1.78	011	SL020011
9.25 1.78	012	SL020012
10.82 1.78	013	SL020013
12.42 1.78	014	SL020014
14.00 1.78	015	SL020015
15.60 1.78	016	SL020016
17.17 1.78	017	SL020017
18.77 1.78	018	SL020018
20.35 1.78	019	SL020019
21.95 1.78	020	SL020020
23.52 1.78	021	SL020021
25.12 1.78	022	SL020022
26.70 1.78	023	SL020023
28.30 1.78	024	SL020024
29.87 1.78	025	SL020025
31.47 1.78	026	SL020026
33.05 1.78	027	SL020027
34.65 1.78	028	SL020028
37.82 1.78	029	SL020029
41.00 1.78	030	SL020030
44.17 1.78	031	SL020031
47.35 1.78	032	SL020032
50.52 1.78	033	SL020033
53.70 1.78	034	SL020034
56.87 1.78	035	SL020035
60.05 1.78	036	SL020036
63.22 1.78	037	SL020037
66.40 1.78	038	SL020038
69.57 1.78	039	SL020039
72.75 1.78	040	SL020040


■ Conventional materials: NBR, FKM, EPDM

美国国家标准 (AS 568)

尺寸 D d	型号 Type	产品编码 Product Code
75.92 1.78	041	SL020041
82.27 1.78	042	SL020042
88.62 1.78	043	SL020043
94.97 1.78	044	SL020044
101.32 1.78	045	SL020045
107.67 1.78	046	SL020046
114.02 1.78	047	SL020047
120.37 1.78	048	SL020048
126.72 1.78	049	SL020049
133.07 1.78	050	SL020050
1.25 2.62	102	SL020102
2.06 2.62	103	SL020103
2.84 2.62	104	SL020104
2.63 2.62	105	SL020105
4.42 2.62	106	SL020106
5.23 2.62	107	SL020107
6.02 2.62	108	SL020108
7.59 2.62	109	SL020109
9.19 2.62	110	SL020110
10.77 2.62	111	SL020111
12.37 2.62	112	SL020112
13.94 2.62	113	SL020113
15.54 2.62	114	SL020114
17.12 2.62	115	SL020115
18.72 2.62	116	SL020116
20.29 2.62	117	SL020117
21.89 2.62	118	SL020118
23.48 2.62	119	SL020119
25.07 2.62	120	SL020120
26.64 2.62	121	SL020121
28.24 2.62	122	SL020122
29.82 2.62	123	SL020123
31.42 2.62	124	SL020124
32.99 2.62	125	SL020125
34.59 2.62	126	SL020126
36.17 2.62	127	SL020127
37.77 2.62	128	SL020128
39.34 2.62	129	SL020129
40.94 2.62	130	SL020130
42.52 2.62	131	SL020131

美国国家标准 (AS 568)

尺寸 D d	型号 Type	产品编码 Product Code
44.12 2.62	132	SL020132
45.69 2.62	133	SL020133
47.29 2.62	134	SL020134
48.90 2.62	135	SL020135
50.47 2.62	136	SL020136
52.07 2.62	137	SL020137
53.64 2.62	138	SL020138
55.25 2.62	139	SL020139
56.82 2.62	140	SL020140
58.42 2.62	141	SL020141
59.99 2.62	142	SL020142
61.60 2.62	143	SL020143
63.17 2.62	144	SL020144
64.77 2.62	145	SL020145
66.34 2.62	146	SL020146
67.95 2.62	147	SL020147
69.52 2.62	148	SL020148
71.12 2.62	149	SL020149
72.69 2.62	150	SL020150
75.87 2.62	151	SL020151
82.22 2.62	152	SL020152
88.57 2.62	153	SL020153
94.92 2.62	154	SL020154
101.27 2.62	155	SL020155
107.69 2.62	156	SL020156
113.97 2.62	157	SL020157
120.32 2.62	158	SL020158
126.67 2.62	159	SL020159
133.02 2.62	160	SL020160
139.37 2.62	161	SL020161
145.72 2.62	162	SL020162
152.07 2.62	163	SL020163
158.42 2.62	164	SL020164
164.77 2.62	165	SL020165
171.12 2.62	166	SL020166
177.47 2.62	167	SL020167
183.82 2.62	168	SL020168
190.17 2.62	169	SL020169
196.52 2.62	170	SL020170
202.87 2.62	171	SL020171



OR
(型号:OR D×d) **O型圈**
O-Ring

■ 常规材质NBR, FKM, EPDM

美国国家标准 (AS 568)

尺寸 D	尺寸 d	型号 Type	产品编码 Product Code
209.22	2.62	172	SL020172
215.57	2.62	173	SL020173
221.92	2.62	174	SL020174
228.27	2.62	175	SL020175
234.62	2.62	176	SL020176
240.97	2.62	177	SL020177
247.32	2.62	178	SL020178
253.67	2.62	179	SL020179
4.34	3.53	201	SL020201
5.94	3.53	202	SL020202
7.52	3.53	203	SL020204
9.12	3.53	204	SL020205
10.69	3.53	205	SL020206
12.29	3.53	206	SL020207
13.87	3.53	207	SL020208
15.47	3.53	208	SL020209
17.04	3.53	209	SL020210
18.64	3.53	210	SL020211
20.22	3.53	211	SL020212
21.82	3.53	212	SL020213
23.39	3.53	213	SL020214
24.99	3.53	214	SL020215
26.57	3.53	215	SL020216
28.17	3.53	216	SL020216
29.74	3.53	217	SL020217
31.34	3.53	218	SL020218
32.92	3.53	219	SL020219
34.52	3.53	220	SL020220
36.09	3.53	221	SL020221
37.69	3.53	222	SL020222
40.87	3.53	223	SL020223
44.04	3.53	224	SL020224
47.22	3.53	225	SL020225
50.39	3.53	226	SL020226
53.57	3.53	227	SL020227
56.74	3.53	228	SL020228
59.92	3.53	229	SL020229
63.09	3.53	230	SL020230
66.27	3.53	231	SL020231
69.44	3.53	232	SL020232

■ Conventional materials: NBR, FKM, EPDM

美国国家标准 (AS 568)


尺寸 D	尺寸 d	型号 Type	产品编码 Product Code
72.62	3.53	233	SL020233
75.79	3.53	234	SL020234
78.97	3.53	235	SL020235
82.14	3.53	236	SL020236
85.32	3.53	237	SL020237
88.49	3.53	238	SL020238
91.67	3.53	239	SL020239
94.84	3.53	240	SL020240
98.02	3.53	241	SL020241
101.19	3.53	242	SL020242
104.37	3.53	243	SL020243
107.54	3.53	244	SL020244
110.72	3.53	245	SL020245
113.89	3.53	246	SL020246
117.07	3.53	247	SL020247
120.24	3.53	248	SL020248
123.42	3.53	249	SL020249
126.59	3.53	250	SL020250
129.77	3.53	251	SL020251
132.94	3.53	252	SL020252
136.12	3.53	253	SL020253
139.29	3.53	254	SL020254
142.47	3.53	255	SL020255
145.64	3.53	256	SL020256
148.82	3.53	257	SL020257
151.99	3.53	258	SL020258
158.34	3.53	259	SL020259
164.69	3.53	260	SL020260
171.04	3.53	261	SL020261
177.39	3.53	262	SL020262
183.74	3.53	263	SL020263
190.09	3.53	264	SL020264
196.44	3.53	265	SL020265
202.79	3.53	266	SL020266
209.14	3.53	267	SL020267
215.49	3.53	268	SL020268
221.84	3.53	269	SL020269
228.19	3.53	270	SL020270
234.54	3.53	271	SL020271
240.89	3.53	272	SL020272

尺寸 D	尺寸 d	型号 Type	产品编码 Product Code
247.24	3.53	273	SL020273
253.59	3.53	274	SL020274
266.29	3.53	275	SL020275
278.99	3.53	276	SL020276
291.67	3.53	277	SL020277
304.39	3.53	278	SL020278
329.79	3.53	279	SL020279
355.19	3.53	280	SL020280
380.59	3.53	281	SL020281
405.26	3.53	282	SL020282
430.66	3.53	283	SL020283
456.09	3.53	284	SL020284
10.46	5.33	309	SL020309
12.07	5.33	310	SL020310
13.64	5.33	311	SL020311
15.24	5.33	312	SL020312
16.81	5.33	313	SL020313
18.42	5.33	314	SL020314
19.99	5.33	315	SL020315
21.59	5.33	316	SL020316
23.16	5.33	317	SL020317
24.77	5.33	318	SL020318
26.34	5.33	319	SL020319
27.94	5.33	320	SL020320
29.51	5.33	321	SL020321
31.12	5.33	322	SL020322
32.69	5.33	323	SL020323
34.29	5.33	324	SL020324
37.47	5.33	325	SL020325
40.64	5.33	326	SL020326
43.82	5.33	327	SL020327
46.99	5.33	328	SL020328
50.17	5.33	329	SL020329
53.34	5.33	330	SL020330
56.52	5.33	331	SL020331
59.69	5.33	332	SL020332
62.87	5.33	333	SL020333
66.04	5.33	334	SL020334
69.22	5.33	335	SL020335
72.39	5.33	336	SL020336

OR

O型圈 (型号:OR D×d)

O-Ring



■ 常规材质NBR, FKM, EPDM

美国国家标准 (AS 568)

尺寸 D d	型号 Type	产品编码 Product Code
75.57 5.33	337	SL020337
78.74 5.33	338	SL020338
81.92 5.33	339	SL020339
85.09 5.33	340	SL020340
88.27 5.33	341	SL020341
91.44 5.33	342	SL020342
94.62 5.33	343	SL020343
97.79 5.33	344	SL020344
100.97 5.33	345	SL020345
104.14 5.33	346	SL020346
107.00 5.33	347	SL020347
110.49 5.33	348	SL020348
113.67 5.33	349	SL020349
116.84 5.33	350	SL020350
120.02 5.33	351	SL020351
123.19 5.33	352	SL020352
126.37 5.33	353	SL020353
129.54 5.33	354	SL020354
132.72 5.33	355	SL020355
135.89 5.33	356	SL020356
139.07 5.33	357	SL020357
142.24 5.33	358	SL020358
145.42 5.33	359	SL020359
148.59 5.33	360	SL020360
151.77 5.33	361	SL020361
158.12 5.33	362	SL020362
164.47 5.33	363	SL020363
170.82 5.33	364	SL020364
177.17 5.33	365	SL020365
183.52 5.33	366	SL020366
189.87 5.33	367	SL020367
196.22 5.33	368	SL020368
202.57 5.33	369	SL020369
208.92 5.33	370	SL020370
215.27 5.33	371	SL020371
221.62 5.33	372	SL020372
227.97 5.33	373	SL020373
234.32 5.33	374	SL020374
240.67 5.33	375	SL020375
247.02 5.33	376	SL020376


■ Conventional materials: NBR, FKM, EPDM

美国国家标准 (AS 568)

尺寸 D d	型号 Type	产品编码 Product Code
253.37 5.33	377	SL020377
266.07 5.33	378	SL020378
278.77 5.33	379	SL020379
291.47 5.33	380	SL020380
304.17 5.33	381	SL020381
329.57 5.33	382	SL020382
354.97 5.33	383	SL020383
380.37 5.33	384	SL020384
405.26 5.33	385	SL020385
430.66 5.33	386	SL020386
456.06 5.33	387	SL020387
481.41 5.33	388	SL020388
506.81 5.33	389	SL020389
532.21 5.33	390	SL020390
557.61 5.33	391	SL020391
582.68 5.33	392	SL020392
608.08 5.33	393	SL020393
633.48 5.33	394	SL020394
658.88 5.33	395	SL020395
113.67 6.99	425	SL0203425
116.84 6.99	426	SL0203426
120.02 6.99	427	SL0203427
123.19 6.99	428	SL0203428
126.37 6.99	429	SL0203429
129.54 6.99	430	SL0203430
132.72 6.99	431	SL0203431
135.89 6.99	432	SL0203432
139.07 6.99	433	SL0203433
142.24 6.99	434	SL0203434
145.42 6.99	435	SL0203435
148.59 6.99	436	SL0203436
151.77 6.99	437	SL0203437
158.12 6.99	438	SL0203438
164.47 6.99	439	SL0203439
170.82 6.99	440	SL0203440
177.17 6.99	441	SL0203441
183.52 6.99	442	SL0203442
189.87 6.99	443	SL0203443
196.22 6.99	444	SL0203444
202.57 6.99	445	SL0203445

美国国家标准 (AS 568)

尺寸 D d	型号 Type	产品编码 Product Code
215.27 6.99	446	SL020446
227.97 6.99	447	SL020447
240.67 6.99	448	SL020448
253.37 6.99	449	SL020449
266.07 6.99	450	SL020450
278.77 6.99	451	SL020451
291.47 6.99	452	SL020452
304.17 6.99	453	SL020453
316.87 6.99	454	SL020454
329.57 6.99	455	SL020455
342.27 6.99	456	SL020456
354.97 6.99	457	SL020457
367.67 6.99	458	SL020458
380.37 6.99	459	SL020459
393.07 6.99	460	SL020460
405.26 6.99	461	SL020461
417.96 6.99	462	SL020462
430.66 6.99	463	SL020463
443.36 6.99	464	SL020464
456.06 6.99	465	SL020465
468.76 6.99	466	SL020466
481.46 6.99	467	SL020467
494.16 6.99	468	SL020468
506.86 6.99	469	SL020469
532.26 6.99	470	SL020470
557.66 6.99	471	SL020471
582.68 6.99	472	SL020472
608.08 6.99	473	SL020473
633.48 6.99	474	SL020474
658.88 6.99	475	SL020475
4.70 1.42	901	SL020901
6.07 1.63	902	SL020902
7.65 1.63	903	SL020903
8.92 1.83	904	SL020904
10.52 1.83	905	SL020905
11.89 1.98	906	SL020906
13.46 2.08	907	SL020907
16.36 2.21	908	SL020908
17.93 2.46	909	SL020909
19.18 2.46	910	SL020910



OR
(型号:OR D×d) O型圈
O-Ring

■ 常规材质NBR, FKM, EPDM

美国国家标准 (AS 568)

尺寸 D d	型号 Type	产品编码 Product Code
75.57 5.33	911	SL020337
78.74 5.33	912	SL020338
81.92 5.33	913	SL020339
85.09 5.33	914	SL020340
88.27 5.33	915	SL020341
91.44 5.33	916	SL020342
94.62 5.33	917	SL020343
97.79 5.33	918	SL020344
100.97 5.33	919	SL020345
104.14 5.33	920	SL020346
107.00 5.33	921	SL020347
110.49 5.33	922	SL020348
113.67 5.33	923	SL020349
116.84 5.33	924	SL020350
120.02 5.33	925	SL020351
123.19 5.33	926	SL020352
126.37 5.33	927	SL020353
129.54 5.33	928	SL020354
132.72 5.33	929	SL020355
135.89 5.33	930	SL020356
139.07 5.33	931	SL020357
142.24 5.33	932	SL020358

■ Conventional materials: NBR, FKM, EPDM

日本国家标准 (JIS B2401)

尺寸 D d	型号 Type	产品编码 Product Code
2.8 1.9	P3	SL039003
3.8 1.9	P4	SL039004
4.8 1.9	P5	SL039005
5.8 1.9	P6	SL039006
6.8 1.9	P7	SL039007
7.8 1.9	P8	SL039008
8.8 1.9	P9	SL039009
9.8 1.9	P10	SL039010
9.8 2.4	P10A	SL039010A
10.8 2.4	P11	SL039011
11.0 2.4	P11.5	SL039011.5
11.8 2.4	P12	SL039012
12.3 2.4	P12.5	SL039012.5
13.8 2.4	P14	SL039014
14.8 2.4	P15	SL039015
15.8 2.4	P16	SL039016
17.8 2.4	P18	SL039018
19.8 2.4	P20	SL039020
20.8 2.4	P21	SL039021
21.8 2.4	P22	SL039022
21.7 3.5	P22A	SL039022A
22.1 3.5	P22.4	SL039022.4
23.7 3.5	P24	SL039024
24.7 3.5	P25	SL039025
25.5 3.5	P25.5	SL039025.5
25.7 3.5	P26	SL039026
27.7 3.5	P28	SL039028
28.7 3.5	P29	SL039029
29.2 3.5	P29.5	SL039029.5
29.7 3.5	P30	SL039030
30.7 3.5	P31	SL039031
31.2 3.5	P31.5	SL039031.5
31.7 3.5	P32	SL039032
33.7 3.5	P34	SL039034
34.7 3.5	P35	SL039035
35.2 3.5	P35.5	SL039035.5
35.7 3.5	P36	SL039036
37.7 3.5	P38	SL039038
38.7 3.5	P39	SL039039
39.7 3.5	P40	SL039040


日本国家标准 (JIS B2401)

尺寸 D d	型号 Type	产品编码 Product Code
40.7 3.5	P41	SL039041
41.7 3.5	P42	SL039042
43.7 3.5	P44	SL039044
44.7 3.5	P45	SL039045
45.7 3.5	P46	SL039046
47.7 3.5	P48	SL039048
48.7 3.5	P49	SL039049
49.7 3.5	P50	SL039050
47.6 5.7	P48A	SL039048A
49.6 5.7	P50A	SL039050A
51.6 5.7	P52	SL039052
52.6 5.7	P53	SL039053
54.6 5.7	P55	SL039055
55.6 5.7	P56	SL039056
57.6 5.7	P58	SL039058
59.6 5.7	P60	SL039060
61.6 5.7	P62	SL039062
62.6 5.7	P63	SL039063
64.6 5.7	P65	SL039065
66.6 5.7	P67	SL039067
69.6 5.7	P70	SL039070
70.6 5.7	P71	SL039071
74.6 5.7	P75	SL039075
79.6 5.7	P80	SL039080
84.6 5.7	P85	SL039085
89.6 5.7	P90	SL039090
94.6 5.7	P95	SL039095
99.6 5.7	P100	SL039100
101.6 5.7	P102	SL039102
104.6 5.7	P105	SL039105
109.6 5.7	P110	SL039110
111.6 5.7	P112	SL039112
114.6 5.7	P115	SL039115
119.6 5.7	P120	SL039120
124.6 5.7	P125	SL039125
129.6 5.7	P130	SL039130
131.6 5.7	P132	SL039132
134.6 5.7	P135	SL039135
139.6 5.7	P140	SL039140
144.6 5.7	P145	SL039145

OR

O型圈 (型号:OR D×d)

O-Ring



■ 常规材质NBR, FKM, EPDM

日本国家标准 (JIS B2401)

尺寸 D	尺寸 d	型号 Type	产品编码 Product Code
14.96	5.7	P150	SL039150
149.5	8.4	P150	SL039150
154.5	8.4	P155	SL039155
159.5	8.4	P160	SL039160
164.5	8.4	P165	SL039165
169.5	8.4	P170	SL039170
174.5	8.4	P175	SL039175
179.5	8.4	P180	SL039180
184.5	8.4	P185	SL039185
189.5	8.4	P190	SL039190
194.5	8.4	P195	SL039195
199.5	8.4	P200	SL039200
204.5	8.4	P205	SL039205
208.5	8.4	P209	SL039209
209.5	8.4	P210	SL039210
214.5	8.4	P215	SL039215
219.5	8.4	P220	SL039220
224.5	8.4	P225	SL039225
229.5	8.4	P230	SL039230
234.5	8.4	P235	SL039235
239.5	8.4	P240	SL039240
244.5	8.4	P245	SL039245
249.5	8.4	P250	SL039250
254.5	8.4	P255	SL039255
259.5	8.4	P260	SL039260
264.5	8.4	P265	SL039265
269.5	8.4	P270	SL039270
274.5	8.4	P275	SL039275
279.5	8.4	P280	SL039280
284.5	8.4	P285	SL039285
289.5	8.4	P290	SL039290
294.5	8.4	P295	SL039295
299.5	8.4	P300	SL039300
314.5	8.4	P315	SL039315
319.5	8.4	P320	SL039320
334.5	8.4	P335	SL039335
339.5	8.4	P340	SL039340
354.5	8.4	P355	SL039355
359.5	8.4	P360	SL039360
374.5	8.4	P375	SL039375


■ Conventional materials: NBR, FKM, EPDM

日本国家标准 (JIS B2401)

尺寸 D	尺寸 d	型号 Type	产品编码 Product Code
384.5	8.4	P385	SL039385
399.5	8.4	P400	SL039400
24.4	3.1	G25	SL036025
29.4	3.1	G30	SL036030
34.4	3.1	G35	SL036035
39.4	3.1	G40	SL036040
44.4	3.1	G45	SL036045
49.4	3.1	G50	SL036050
54.4	3.1	G55	SL036055
59.4	3.1	G60	SL036060
64.4	3.1	G65	SL036065
69.4	3.1	G70	SL036070
74.4	3.1	G75	SL036075
79.4	3.1	G80	SL036080
84.4	3.1	G85	SL036085
89.4	3.1	G90	SL036090
94.4	3.1	G95	SL036095
99.4	3.1	G100	SL036100
104.4	3.1	G105	SL036105
109.4	3.1	G110	SL036110
114.4	3.1	G115	SL036115
119.4	3.1	G120	SL036120
124.4	3.1	G125	SL036125
129.4	3.1	G130	SL036130
134.4	3.1	G135	SL036135
139.4	3.1	G140	SL036140
144.4	3.1	G145	SL036145
149.3	3.1	G150	SL036150
154.3	3.1	G155	SL036155
159.3	3.1	G160	SL036160
164.3	3.1	G165	SL036165
169.3	3.1	G170	SL036170
174.3	3.1	G175	SL036175
179.3	3.1	G180	SL036180
184.3	3.1	G185	SL036185
189.3	3.1	G190	SL036190
194.3	3.1	G195	SL036195
199.3	3.1	G200	SL036200
209.3	3.1	G210	SL036210
219.3	3.1	G220	SL036220

日本国家标准 (JIS B2401)

尺寸 D	尺寸 d	型号 Type	产品编码 Product Code
229.3	5.7	G230	SL036230
239.3	5.7	G240	SL036240
249.3	5.7	G250	SL036250
259.3	5.7	G260	SL036260
269.3	5.7	G270	SL036270
279.3	5.7	G280	SL036280
289.3	5.7	G290	SL036290
299.3	5.7	G300	SL036300



OR
(型号:OR D×d) O型圈
O-Ring

■ 常规材质NBR, FKM, EPDM

国际标准 (DINISO 3601)

尺寸		型号	产品编码
D	d	Type	Product Code
1.80	1.80	D1	SL040001
2.00	1.80	D2	SL040002
2.24	1.80	D3	SL040003
2.50	1.80	D4	SL040004
2.80	1.80	D5	SL040005
3.15	1.80	D6	SL040006
3.55	1.80	D7	SL040007
3.75	1.80	D8	SL040008
4.00	1.80	D9	SL040009
4.50	1.80	D10	SL040010
4.87	1.80	D11	SL040011
5.00	1.80	D12	SL040012
5.15	1.80	D13	SL040013
5.30	1.80	D14	SL040014
5.60	1.80	D15	SL040015
6.00	1.80	D16	SL040016
6.30	1.80	D17	SL040017
6.70	1.80	D18	SL040018
6.90	1.80	D19	SL040019
7.10	1.80	D20	SL040020
7.50	1.80	D21	SL040021
8.00	1.80	D22	SL040022
8.50	1.80	D23	SL040023
8.76	1.80	D24	SL040024
9.00	1.80	D25	SL040025
9.50	1.80	D26	SL040026
10.00	1.80	D27	SL040027
10.60	1.80	D28	SL040028
11.20	1.80	D29	SL040029
11.80	1.80	D30	SL040030
12.50	1.80	D31	SL040031
13.20	1.80	D32	SL040032
14.00	1.80	D33	SL040033
15.00	1.80	D34	SL040034
16.00	1.80	D35	SL040035
17.00	1.80	D36	SL040036
14.00	2.65	D37	SL040037
15.00	2.65	D38	SL040038
16.00	2.65	D39	SL040039
17.00	2.65	D40	SL040040

■ Conventional materials: NBR, FKM, EPDM

国际标准 (DINISO 3601)

尺寸		型号	产品编码
D	d	Type	Product Code
18.00	2.65	D41	SL040041
19.00	2.65	D42	SL040042
20.00	2.65	D43	SL040043
21.20	2.65	D44	SL040044
22.40	2.65	D45	SL040045
23.60	2.65	D46	SL040046
25.00	2.65	D47	SL040047
25.80	2.65	D48	SL040048
26.50	2.65	D49	SL040049
28.00	2.65	D50	SL040050
30.00	2.65	D51	SL040051
31.50	2.65	D52	SL040052
32.50	2.65	D53	SL040053
33.50	2.65	D54	SL040054
34.50	2.65	D55	SL040055
35.50	2.65	D56	SL040056
36.50	2.65	D57	SL040057
37.50	2.65	D58	SL040058
38.70	2.65	D59	SL040059
18.00	3.55	D60	SL040060
19.00	3.55	D61	SL040061
20.00	3.55	D62	SL040062
21.20	3.55	D63	SL040063
22.40	3.55	D64	SL040064
23.60	3.55	D65	SL040065
25.80	3.55	D66	SL040066
26.50	3.55	D67	SL040067
28.00	3.55	D68	SL040068
30.00	3.55	D69	SL040069
31.50	3.55	D70	SL040070
32.50	3.55	D71	SL040071
33.50	3.55	D72	SL040072
34.50	3.55	D73	SL040073
35.50	3.55	D74	SL040074
36.50	3.55	D75	SL040075
37.50	3.55	D76	SL040076
38.70	3.55	D77	SL040077
40.00	3.55	D78	SL040078
41.20	3.55	D79	SL040079
42.50	3.55	D80	SL040080


国际标准 (DINISO 3601)

尺寸		型号	产品编码
D	d	Type	Product Code
43.70	3.55	D81	SL040081
45.00	3.55	D82	SL040082
46.20	3.55	D83	SL040083
47.50	3.55	D84	SL040084
48.70	3.55	D85	SL040085
50.00	3.55	D86	SL040086
51.50	3.55	D87	SL040087
53.00	3.55	D88	SL040088
54.50	3.55	D89	SL040089
56.00	3.55	D90	SL040090
58.00	3.55	D91	SL040091
60.00	3.55	D92	SL040092
61.50	3.55	D93	SL040093
63.00	3.55	D94	SL040094
65.00	3.55	D95	SL040095
67.00	3.55	D96	SL040096
69.00	3.55	D97	SL040097
71.00	3.55	D98	SL040098
73.00	3.55	D99	SL040099
75.00	3.55	D100	SL040100
77.50	3.55	D101	SL040101
82.50	3.55	D102	SL040102
85.00	3.55	D103	SL040103
87.50	3.55	D104	SL040104
90.00	3.55	D105	SL040105
92.50	3.55	D106	SL040106
95.00	3.55	D107	SL040107
97.50	3.55	D108	SL040108
100.00	3.55	D109	SL040109
103.00	3.55	D110	SL040110
106.00	3.55	D111	SL040111
109.00	3.55	D112	SL040112
112.00	3.55	D113	SL040113
115.00	3.55	D114	SL040114
118.00	3.55	D115	SL040115
122.00	3.55	D116	SL040116
125.00	3.55	D117	SL040117
128.00	3.55	D118	SL040118
132.00	3.55	D119	SL040119
136.00	3.55	D120	SL040120

OR

O型圈 (型号:OR D×d)

O-Ring



■ 常规材质NBR, FKM, EPDM

国际标准 (DINISO 3601)

尺寸 D	尺寸 d	型号 Type	产品编码 Product Code
140.00	3.55	D121	SL040121
145.00	3.55	D122	SL040122
150.00	3.55	D123	SL040123
155.00	3.55	D124	SL040124
160.00	3.55	D125	SL040125
165.00	3.55	D126	SL040126
170.00	3.55	D127	SL040127
175.00	3.55	D128	SL040128
180.00	3.55	D129	SL040129
185.00	3.55	D130	SL040130
190.00	3.55	D131	SL040131
195.00	3.55	D132	SL040132
200.00	3.55	D133	SL040133
40.00	5.30	D134	SL040134
41.20	5.30	D135	SL040135
42.50	5.30	D136	SL040136
43.70	5.30	D137	SL040137
45.00	5.30	D138	SL040138
46.20	5.30	D139	SL040139
47.50	5.30	D140	SL040140
48.70	5.30	D141	SL040141
50.00	5.30	D142	SL040142
51.50	5.30	D143	SL040143
53.00	5.30	D144	SL040144
54.50	5.30	D145	SL040145
56.00	5.30	D146	SL040146
58.00	5.30	D147	SL040147
60.00	5.30	D148	SL040148
61.50	5.30	D149	SL040149
63.00	5.30	D150	SL040150
65.00	5.30	D151	SL040151
67.00	5.30	D152	SL040152
69.00	5.30	D153	SL040153
71.00	5.30	D154	SL040154
73.00	5.30	D155	SL040155
75.00	5.30	D156	SL040156
77.50	5.30	D157	SL040157
80.00	5.30	D158	SL040158
82.50	5.30	D159	SL040159
85.00	5.30	D160	SL040160


■ Conventional materials: NBR, FKM, EPDM

国际标准 (DINISO 3601)

尺寸 D	尺寸 d	型号 Type	产品编码 Product Code
87.50	5.30	D161	SL040161
90.00	5.30	D162	SL040162
92.50	5.30	D163	SL040163
95.00	5.30	D164	SL040164
97.50	5.30	D165	SL040165
100.00	5.30	D166	SL040166
103.00	5.30	D167	SL040167
106.00	5.30	D168	SL040168
109.00	5.30	D169	SL040169
112.00	5.30	D170	SL040170
115.00	5.30	D171	SL040171
118.00	5.30	D172	SL040172
122.00	5.30	D173	SL040173
125.00	5.30	D174	SL040174
128.00	5.30	D175	SL040175
132.00	5.30	D176	SL040176
136.00	5.30	D177	SL040177
140.00	5.30	D178	SL040178
145.00	5.30	D179	SL040179
150.00	5.30	D180	SL040180
155.00	5.30	D181	SL040181
160.00	5.30	D182	SL040182
165.00	5.30	D183	SL040183
170.00	5.30	D184	SL040184
175.00	5.30	D185	SL040185
180.00	5.30	D186	SL040186
185.00	5.30	D187	SL040187
190.00	5.30	D188	SL040188
195.00	5.30	D189	SL040189
200.00	5.30	D190	SL040190
206.00	5.30	D191	SL040191
212.00	5.30	D192	SL040192
218.00	5.30	D193	SL040193
224.00	5.30	D194	SL040194
230.00	5.30	D195	SL040195
236.00	5.30	D196	SL040196
243.00	5.30	D197	SL040197
250.00	5.30	D198	SL040198
258.00	5.30	D199	SL040199
265.00	5.30	D200	SL040200

国际标准 (DINISO 3601)

尺寸 D	尺寸 d	型号 Type	产品编码 Product Code
272.00	5.30	D201	SL040201
280.00	5.30	D202	SL040202
290.00	5.30	D203	SL040203
300.00	5.30	D204	SL040204
307.00	5.30	D205	SL040205
315.00	5.30	D206	SL040206
325.00	5.30	D207	SL040207
335.00	5.30	D208	SL040208
345.00	5.30	D209	SL040209
355.00	5.30	D210	SL040210
365.00	5.30	D211	SL040211
375.00	5.30	D212	SL040212
387.00	5.30	D213	SL040213
400.00	5.30	D214	SL040214
109.00	7.00	D215	SL040215
112.00	7.00	D216	SL040216
115.00	7.00	D217	SL040217
118.00	7.00	D218	SL040218
122.00	7.00	D219	SL040219
125.00	7.00	D220	SL040220
128.00	7.00	D221	SL040221
132.00	7.00	D222	SL040222
136.00	7.00	D223	SL040223
140.00	7.00	D224	SL040224
145.00	7.00	D225	SL040225
150.00	7.00	D226	SL040226
155.00	7.00	D227	SL040227
160.00	7.00	D228	SL040228
165.00	7.00	D229	SL040229
170.00	7.00	D230	SL040230
175.00	7.00	D231	SL040231
180.00	7.00	D231	SL040232
185.00	7.00	D233	SL040233
190.00	7.00	D234	SL040234
195.00	7.00	D235	SL040235
200.00	7.00	D236	SL040236
206.00	7.00	D237	SL040237
212.00	7.00	D238	SL040238
218.00	7.00	D239	SL040239
224.00	7.00	D240	SL040240



OR
 (型号:OR D×d) **O型圈**
 O-Ring

■ 常规材质NBR, FKM, EPDM

■ Conventional materials: NBR, FKM, EPDM

国际标准 (DINISO 3601)

尺寸		型号	产品编码
D	d	Type	Product Code
230.00	7.00	D241	SL040241
236.00	7.00	D242	SL040242
243.00	7.00	D243	SL040243
250.00	7.00	D244	SL040244
258.00	7.00	D245	SL040245
265.00	7.00	D246	SL040246
272.00	7.00	D247	SL040247
280.00	7.00	D248	SL040248
290.00	7.00	D249	SL040249
300.00	7.00	D250	SL040250
307.00	7.00	D251	SL040251
315.00	7.00	D252	SL040252
325.00	7.00	D253	SL040253
335.00	7.00	D254	SL040254
345.00	7.00	D255	SL040255
355.00	7.00	D256	SL040256
365.00	7.00	D257	SL040257
375.00	7.00	D258	SL040258
387.00	7.00	D259	SL040259
400.00	7.00	D260	SL040260
412.00	7.00	D261	SL040261
425.00	7.00	D262	SL040262
437.00	7.00	D263	SL040263
450.00	7.00	D264	SL040264
462.00	7.00	D265	SL040265
475.00	7.00	D266	SL040266
487.00	7.00	D267	SL040267
500.00	7.00	D268	SL040268
515.00	7.00	D269	SL040269
530.00	7.00	D270	SL040270
545.00	7.00	D271	SL040271
560.00	7.00	D272	SL040272
580.00	7.00	D273	SL040273
600.00	7.00	D274	SL040274
615.00	7.00	D275	SL040275
630.00	7.00	D276	SL040276
650.00	7.00	D277	SL040277
670.00	7.00	D278	SL040278

尺寸		型号	产品编码
D	d	Type	Product Code

尺寸		型号	产品编码
D	d	Type	Product Code